

# Supplement to Trauma Reports 2022; Volume 23, Number 5

## Evaluation of Trauma in Older Adults

### References

- Centers for Disease Control and Prevention. Leading causes of death reports, 1981–2020. 2020: CDC WISQAR Reports. <https://wisqars.cdc.gov/fatal-leading>
- ATLS Subcommittee; American College of Surgeons' Committee on Trauma; International ATLS Working Group. Advanced trauma life support (ATLS®): The ninth edition. *J Trauma Acute Care Surg* 2013;74:1363–1366.
- Sasser SM, Hunt RC, Faul M, et al; Centers for Disease Control and Prevention. Guidelines for field triage of injured patients: Recommendations of the National Expert Panel on Field Triage, 2011. *MMWR Recomm Rep* 2012;61:1–20.
- Niven DJ, Kirkpatrick AW, Ball CG, Laupland KB. Effect of comorbid illness on the long-term outcome of adults suffering major traumatic injury: A population-based cohort study. *Am J Surg* 2012;204:151–156.
- Kirshenbom D, Ben-Zaken Z, Albilya N, et al. Older age, comorbid illnesses, and injury severity affect immediate outcome in elderly trauma patients. *J Emerg Trauma Shock* 2017;10:146–150.
- Perdue PW, Watts DD, Kaufmann CR, Trask AL. Differences in mortality between elderly and younger adult trauma patients: Geriatric status increases risk of delayed death. *J Trauma* 1998;45:805–810.
- Clare D, Zink KL. Geriatric trauma. *Emerg Med Clin North Am* 2021;39:257–271.
- Bonne S, Schuerer DJ. Trauma in the older adult: Epidemiology and evolving geriatric trauma principles. *Clin Geriatr Med* 2013;29:137–150.
- Colby SL, Ortman JM. Projections of the size and composition of the U.S. population: 2014 to 2060. United States Census Bureau. <https://www.census.gov/content/dam/Census/library/publications/2015/demo/p25-1143.pdf>
- Trends in causes of death among older persons in the United States, S. National Center for Health, Editor. 2005: U.S. Dept. of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics.
- Stevens JA, Mack KA, Paulozzi LJ, Ballesteros MF. Self-reported falls and fall-related injuries among persons aged  $\geq 65$  years—United States, 2006. *J Safety Res* 2008;39:345–349.
- Jiang L, Zheng A, Zhang M. The incidence of geriatric trauma is increasing and comparison of different scoring tools for the prediction of in-hospital mortality in geriatric trauma patients. *World J Emerg Surg* 2020;15:59.
- Chang MC, ed. National Trauma Data Bank Annual Report. American College of Surgeons, 2016. <https://www.facs.org/media/e21hpdcu/ntdb-annual-report-2016.pdf>
- Moreland B, Kakara R, Henry A. Trends in nonfatal falls and fall-related injuries among adults aged  $\geq 65$  years – United States, 2012–2018. *MMWR Morb Mortal Wkly Rep* 2020;69:875–881.
- Florence CS, Bergen G, Atherly A, et al. Medical costs of fatal and nonfatal falls in older adults. *J Am Geriatr Soc* 2018;66:693–698.
- McHale P, Hungerford D, Taylor-Robinson D, et al. Socioeconomic status and 30-day mortality after minor and major trauma: A retrospective analysis of the Trauma Audit and Research Network (TARN) dataset for England. *PLoS One* 2018;13:e0210226.
- American College of Surgeons, Trauma Quality Improvement Program. Geriatric Trauma Management Guidelines. 2012. [https://www.facs.org/media/314or1oq/geriatric\\_guidelines.pdf](https://www.facs.org/media/314or1oq/geriatric_guidelines.pdf)
- American College of Emergency Physicians; American Geriatrics Society; Emergency Nurses Association; Society for Academic Emergency Medicine; Geriatric Emergency Department Guidelines Task Force. Geriatric emergency department guidelines. *Ann Emerg Med* 2014;63:e7–25.
- Carpenter CR, Bromley M, Caterino JM, et al. Optimal older adult emergency care: Introducing multidisciplinary geriatric emergency department guidelines from the American College of Emergency Physicians, American Geriatrics Society, Emergency Nurses Association, and Society for Academic Emergency Medicine. *Acad Emerg Med* 2014;21:806–809.
- Mate K, Fulmer T, Pelton L, et al. Evidence for the 4Ms: Interactions and outcomes across the care continuum. *J Aging Health* 2021;33:469–481.
- Galvagno SM Jr, Nahmias JT, Young DA. Advanced Trauma Life Support Update 2019: Management and applications for adults and special populations. *Anesthesiol Clin* 2019;37:13–32.
- Garwe T, Stewart K, Stoner J, et al. Out-of-hospital and inter-hospital under-triage to designated tertiary trauma centers among injured older adults: A 10-year statewide geospatial-adjusted analysis. *Prehosp Emerg Care* 2017;21:734–743.
- Garwe T, Stewart KE, Newgard CD, et al. Survival benefit of treatment at or transfer to a tertiary trauma center among injured older adults. *Prehosp Emerg Care* 2020;24:245–256.
- Fröhlich M, Caspers M, Lefering R, et al. Do elderly trauma patients receive the required treatment? Epidemiology and outcome of geriatric trauma patients treated at different levels of trauma care. *Eur J Trauma Emerg Surg* 2020;46:1463–1469.
- Alshibani A, Alharbi M, Conroy S. Under-triage of older trauma patients in prehospital care: A systematic review. *Eur Geriatr Med* 2021;12:903–919.
- Norwood SH, McAuley CE, Berne JD, et al. A prehospital Glasgow coma scale score  $< 14$  accurately predicts the need for full trauma team activation and patient hospitalization after motor vehicle collisions. *J Trauma* 2002;53:503–507.
- Chou R, Totten AM, Carney N, et al. Predictive utility of the total Glasgow Coma Scale versus the motor component of the Glasgow Coma Scale for identification of patients with serious traumatic injuries. *Ann Emerg Med* 2017;70:143–157.e6.
- Deeb AP, Phelos HM, Peitzman AB, et al. The whole is greater than the sum of its parts: GCS versus GCS-motor for triage in geriatric trauma. *J Surg Res* 2021;261:385–393.
- Kehoe A, Rennie S, Smith JE. Glasgow Coma Scale is unreliable for the prediction of severe head injury in elderly trauma patients. *Emerg Med J* 2015;32:613–615.
- Susman M, DiRusso SM, Sullivan T, et al. Traumatic brain injury in the elderly: Increased mortality and worse functional outcome at discharge despite lower injury severity. *J Trauma* 2002;53:219–223; discussion 223–224.
- Mosenthal AC, Livingston DH, Lavery RF, et al. The effect of age on functional outcome in mild traumatic brain injury: 6-month report of a prospective multicenter trial. *J Trauma* 2004;56:1042–1048.
- Caterino JM, Raubenolt A, Cudnik MT. Modification of Glasgow Coma Scale criteria for injured elders. *Acad Emerg Med* 2011;18:1014–1021.
- Salottolo KM, Mains CW, Offner PJ, et al. A retrospective analysis of geriatric trauma patients: Venous lactate is a better predictor of mortality than traditional vital signs. *Scand J Trauma Resusc Emerg Med* 2013;21:7.
- Finelli FC, Jonsson J, Champion HR, et al. A case control study for major trauma in geriatric patients. *J Trauma* 1989;29:541–548.
- Demetriades D, Sava J, Alo K, et al. Old age as a criterion for trauma team activation. *J Trauma* 2001;51:754–756; discussion 756–757.

36. Caterino JM, Valasek T, Werman HA. Identification of an age cutoff for increased mortality in patients with elderly trauma. *Am J Emerg Med* 2010;28:151-158.
37. Morris JA Jr, MacKenzie EJ, Damiano AM, Bass SM. Mortality in trauma patients: The interaction between host factors and severity. *J Trauma* 1990;30:1476-1482.
38. Johnson CL, Margulies DR, Kearney TJ, et al. Trauma in the elderly: An analysis of outcomes based on age. *Am Surg* 1994;60:899-902.
39. Atinga A, Shekkeris A, Fertleman M, et al. Trauma in the elderly patient. *Br J Radiol* 2018;91:20170739.
40. Nakamura Y, Daya M, Bulger EM, et al. Evaluating age in the field triage of injured persons. *Ann Emerg Med* 2012;60:335-345.
41. Calland JF, Ingraham AM, Martin N, et al. Evaluation and management of geriatric trauma: An Eastern Association for the Surgery of Trauma practice management guideline. *J Trauma Acute Care Surg* 2012;73(5 Suppl 4):S345-S350.
42. Werman HA, Erskine T, Caterino J, et al. Development of statewide geriatric patients trauma triage criteria. *Prehosp Disaster Med* 2011;26:170-179.
43. Kuhlman KA. Cervical range of motion in the elderly. *Arch Phys Med Rehabil* 1993;74:1071-1079.
44. Trent SA, Kaji AH, Carlson JN, et al. Video laryngoscopy is associated with first-pass success in emergency department intubations for trauma patients: A propensity score matched analysis of the National Emergency Airway Registry. *Ann Emerg Med* 2021;78:708-719.
45. Ramly E, Kaafarani HM, Velmahos GC. The effect of aging on pulmonary function: Implications for monitoring and support of the surgical and trauma patient. *Surg Clin North Am* 2015;95:53-69.
46. Duggal A, Perez P, Golan E, et al. Safety and efficacy of noninvasive ventilation in patients with blunt chest trauma: A systematic review. *Crit Care* 2013;17:R142.
47. Simon B, Ebert J, Bokhari F, et al. Management of pulmonary contusion and flail chest: An Eastern Association for the Surgery of Trauma practice management guideline. *J Trauma Acute Care Surg* 2012;73(5 Suppl 4):S351-S361.
48. Karcz MK, Papadacos PJ. Noninvasive ventilation in trauma. *World J Crit Care Med* 2015;4:47-54.
49. Cheitlin MD. Cardiovascular physiology-changes with aging. *Am J Geriatr Cardiol* 2003;12:9-13.
50. Strait JB, Lakatta EG. Aging-associated cardiovascular changes and their relationship to heart failure. *Heart Fail Clin* 2012;8:143-164.
51. Heffernan DS, Thakkar RK, Monaghan SF, et al. Normal presenting vital signs are unreliable in geriatric blunt trauma victims. *J Trauma* 2010;69:813-820.
52. Garza N, Toussi A, Wilson M, et al. The increasing age of TBI patients at a single level 1 trauma center and the discordance between GCS and CT Rotterdam cores in the elderly. *Front Neurol* 2020;11:112.
53. Han JH, Wilson A, Vasilevskis EE, et al. Diagnosing delirium in older emergency department patients: Validity and reliability of the delirium triage screen and the brief confusion assessment method. *Ann Emerg Med* 2013;62:457-465.
54. Tiegies Z, Maclulich AMJ, Anand A, et al. Diagnostic accuracy of the 4AT for delirium detection in older adults: Systematic review and meta-analysis. *Age Ageing* 2021;50:733-743.
55. Konda SR, Johnson JR, Kelly EA, Egol KA. Pull the Foley: Improved quality for middle-aged and geriatric trauma patients without indwelling catheters. *J Healthc Qual* 2020;42:341-351.
56. Ham WH, Schoonhoven L, Schuurmans MJ, Leenen LPH. Pressure ulcers, indentation marks and pain from cervical spine immobilization with extrication collars and headblocks: An observational study. *Injury* 2016;47:1924-1931.
57. Blatteis CM. Age-dependent changes in temperature regulation - a mini review. *Gerontology* 2012;58:289-295.
58. Singler K, Bertsch T, Heppner HJ, et al. Diagnostic accuracy of three different methods of temperature measurement in acutely ill geriatric patients. *Age Ageing* 2013;42:740-746.
59. Ofori-Asenso R, Chin KL, Mazidi M, et al. Global incidence of frailty and prefrailty among community-dwelling older adults: A systematic review and meta-analysis. *JAMA Netw Open* 2019;2:e198398.
60. Fried LP, Tangen CM, Walston J, et al. Frailty in older adults: Evidence for a phenotype. *J Gerontol A Biol Sci Med Sci* 2001;56:M146-56.
61. Poulton A, Shaw JF, Nguyen F, et al. The association of frailty with adverse outcomes after multisystem trauma: A systematic review and meta-analysis. *Anesth Analg* 2020;130:1482-1492.
62. George EL, Hall DE, Youk A, et al. Association between patient frailty and postoperative mortality across multiple noncardiac surgical specialties. *JAMA Surg* 2021;156:e205152.
63. Hall C, Essler S, Dandashi J, et al. Impact of frailty and anticoagulation status on readmission and mortality rates following falls in patients over 80. *Proc (Bayl Univ Med Cent)* 2019;32:181-186.
64. Palmer J, Pandit V, Zeeshan M, et al. The acute inflammatory response after trauma is heightened by frailty: A prospective evaluation of inflammatory and endocrine system alterations in frailty. *J Trauma Acute Care Surg* 2019;87:54-60.
65. Bendayan M, Messas N, Perrault L, et al. Frailty and bleeding in older adults undergoing TAVR or SAVR: Insights from the FRAILTY-AVR study. *JACC Cardiovasc Interv* 2020;13:1058-1068.
66. Kanenawa K, et al. Frailty and bleeding after percutaneous coronary intervention. *Am J Cardiol* 2021;148:22-29.
67. Acosta CJ, Goldberg D, Amin S. Evaluating the impact of frailty on periprocedural adverse events and mortality among patients with GI bleeding. *Gastrointest Endosc* 2021;94:517-525.e11.
68. Jarman H, Crouch R, Baxter M, et al. Frailty in major trauma study (FRAIL-T): A study protocol to determine the feasibility of nurse-led frailty assessment in elderly trauma and the impact on outcome in patients with major trauma. *BMJ Open* 2020;10:e038082.
69. Gleason LJ, Benton EA, Alvarez-Nebreda ML, et al. FRAIL Questionnaire screening tool and short-term outcomes in geriatric fracture patients. *J Am Med Dir Assoc* 2017;18:1082-1086.
70. Curtis E, Romanowski K, Sen S, et al. Frailty score on admission predicts mortality and discharge disposition in elderly trauma patients over the age of 65 y. *J Surg Res* 2018;230:13-19.
71. Jarman H, Crouch R, Baxter M, et al. Feasibility and accuracy of ED frailty identification in older trauma patients: A prospective multi-centre study. *Scand J Trauma Resusc Emerg Med* 2021;29:54.
72. Weiss HK, Stocker BW, Weingarten N, et al. Electronic medical record versus bedside assessment: How to evaluate frailty in trauma and emergency general surgery patients? *J Surg Res* 2020;246:464-475.
73. Engelhardt KE, Reuter Q, Liu J, et al. Frailty screening and a frailty pathway decrease length of stay, loss of independence, and 30-day readmission rates in frail geriatric trauma and emergency general surgery patients. *J Trauma Acute Care Surg* 2018;85:167-173.
74. Bryant EA, Tulebaev S, Castillo-Angeles M, et al. Frailty identification and care pathway: An interdisciplinary approach to care for older trauma patients. *J Am Coll Surg* 2019;228:852-859.e1.
75. Eagles D, Godwin B, Chen W, et al. A systematic review and meta-analysis evaluating geriatric consultation on older trauma patients. *J Trauma Acute Care Surg* 2020;88:446-453.
76. Southerland LT, Gure TR, Ruter DI, et al. Early geriatric consultation increases adherence to TQIP Geriatric Trauma Management Guidelines. *J Surg Res* 2017;216:56-64.
77. Braude P, Short R, Bouamra O, et al. A national study of 23 major trauma centres to investigate the effect of a geriatrician assessment on clinical outcomes in older people admitted with serious injury in England (FiTR 2): A multicentre observational cohort

- study. *Lancet Healthy Longevity* 2022. [https://doi.org/10.1016/S2666-7568\(22\)00144-1](https://doi.org/10.1016/S2666-7568(22)00144-1) [Online ahead of print].
78. Saha S, DiRusso SM, Welle S, et al. Integration of geriatrician consultation for trauma admissions may benefit patient outcomes. *Gerontol Geriatr Med* 2019;5:2333721419858735.
  79. Southerland LT, Vargas AJ, Nagaraj L, et al. An emergency department observation unit is a feasible setting for multidisciplinary geriatric assessments in compliance with the Geriatric Emergency Department Guidelines. *Acad Emerg Med* 2018;25:76-82.
  80. Caspers CG. Care of traumatic conditions in an observation unit. *Emerg Med Clin North Am* 2017;35:673-683.
  81. Bower MM, Sweidan AJ, Shafie M, et al. Contemporary reversal of oral anticoagulation in intracerebral hemorrhage. *Stroke* 2019;50:529-536.
  82. Paisley MJ, Johnson A, Price S, et al. Reversal of warfarin anticoagulation in geriatric traumatic brain injury due to ground-level falls. *Trauma Surg Acute Care Open* 2019;4:e000352.
  83. Nishimura T, Guyette FX, Naito H, et al. Comparison of direct oral anticoagulant and vitamin K antagonists on outcomes among elderly and nonelderly trauma patients. *J Trauma Acute Care Surg* 2020;89:514-522.
  84. American Geriatrics Society 2015 Beers Criteria Update Expert Panel. American Geriatrics Society 2015 Updated Beers Criteria for potentially inappropriate medication use in older adults. *J Am Geriatr Soc* 2015;63:2227-2246.
  85. Hoover RM, Polson M. Detecting elder abuse and neglect: Assessment and intervention. *Am Fam Physician* 2014;89:453-460.
  86. Burnes D, Pillemer K, Cassamisse PL, et al. Prevalence of and risk factors for elder abuse and neglect in the community: A population-based study. *J Am Geriatr Soc* 2015;63:1906-1912.
  87. Rosen T, Stern ME, Elman A, Mulcare MR, et al. Identifying and initiating intervention for elder abuse and neglect in the emergency department. *Clin Geriatr Med* 2018;34:435-451.
  88. Van Royen K, Van Royen P, De Donder L, Gobbens RJ. Elder abuse assessment tools and interventions for use in the home environment: A scoping review. *Clin Interv Aging* 2020;15:1793-1807.
  89. Yaffe MJ, Wolfson C, Lithwick M, Weiss D. Development and validation of a tool to improve physician identification of elder abuse: The Elder Abuse Suspicion Index (EASI). *J Elder Abuse Negl* 2008;20:276-300.
  90. Platts-Mills TF, Dayaa JA, Reeve BB, et al. Development of the Emergency Department Senior Abuse Identification (ED Senior AID) tool. *J Elder Abuse Negl* 2018;30:247-270.
  91. Platts-Mills TF, Hurka-Richardson K, Shams RB, et al. Multicenter validation of an emergency department-based screening tool to identify elder abuse. *Ann Emerg Med* 2020;76:280-290.
  92. Harper KJ, Arendts G, Barton AD, Celenza A. Providing fall prevention services in the emergency department: Is it effective? A systematic review and meta-analysis. *Australas J Ageing* 2021;40:116-128.
  93. Thompson HJ, McCormick WC, Kagan SH. Traumatic brain injury in older adults: Epidemiology, outcomes, and future implications. *J Am Geriatr Soc* 2006;54:1590-1595.
  94. LeBlanc J, de Guise E, Gosselin N, Feyz M. Comparison of functional outcome following acute care in young, middle-aged and elderly patients with traumatic brain injury. *Brain Inj* 2006;20:779-790.
  95. Haydel MJ, Preston CA, Mills TJ, et al. Indications for computed tomography in patients with minor head injury. *N Engl J Med* 2000;343:100-105.
  96. Stiell IG, Wells GA, Vandemheen K, et al. The Canadian CT Head Rule for patients with minor head injury. *Lancet* 2001;357:1391-1396.
  97. Mower WR, Hoffman JR, Herbert M, et al. Developing a clinical decision instrument to rule out intracranial injuries in patients with minor head trauma: Methodology of the NEXUS II investigation. *Ann Emerg Med* 2002;40:505-514.
  98. Huang GS, Dunham CM, Chance EA, Hileman BM. Detecting delayed intracranial hemorrhage with repeat head imaging in trauma patients on antithrombotics with no hemorrhage on the initial image: A retrospective chart review and meta-analysis. *Am J Surg* 2020;220:55-61.
  99. Jawa RS, Singer AJ, Rutigliano DN, et al. Spinal fractures in older adult patients admitted after low-level falls: 10-year incidence and outcomes. *J Am Geriatr Soc* 2017;65:909-915.
  100. Clemency BM, Bart JA, Malhotra A, et al. Patients immobilized with a long spine board rarely have unstable thoracolumbar injuries. *Prehosp Emerg Care* 2016;20:266-272.
  101. Sadro CT, Sandstrom CK, Verma N, Gunn ML. Geriatric trauma: A radiologist's guide to imaging trauma patients aged 65 years and older. *Radiographics* 2015;35:1263-1285.
  102. Hauser CJ, Visvikis G, Hinrichs C, et al. Prospective validation of computed tomographic screening of the thoracolumbar spine in trauma. *J Trauma* 2003;55:228-234; discussion 234-235.
  103. Barrie MH, Hartnett D, Southerland LT. Does this older patient have a spinal fracture? Evaluation and management of spinal fractures in older adults. *Trauma Reports* 2018;4:1-12.
  104. Paykin G, O'Reilly G, Ackland HM, Mitra B. The NEXUS criteria are insufficient to exclude cervical spine fractures in older blunt trauma patients. *Injury* 2017;48:1020-1024.
  105. Paykin G, O'Reilly G, Ackland H, Mitra B. Review article: NEXUS criteria to rule out cervical spine injury among older patients: A systematic review. *Emerg Med Australas* 2018;30:450-455.
  106. Battle CE, Hutchings H, Evans PA. Risk factors that predict mortality in patients with blunt chest wall trauma: A systematic review and meta-analysis. *Injury* 2012;43:8-17.
  107. Schellenberg M, Inaba K, Bardes JM, et al. The combined utility of extended focused assessment with sonography for trauma and chest x-ray in blunt thoracic trauma. *J Trauma Acute Care Surg* 2018;85:113-117.
  108. Terry SM, Shoff KA, Sharrah ML. Improving blunt chest wall injury outcomes: Introducing the PIC Score. *J Trauma Nurs* 2021;28:386-394.
  109. Bass GA, Stephen C, Forssten MP, et al. Admission triage with pain, inspiratory effort, cough score can predict critical care utilization and length of stay in isolated chest wall injury. *J Surg Res* 2022;277:310-318.
  110. Inagaki N, Tanaka T, Udaka J, et al. Distribution of hounsfield unit values in the pelvic bones: A comparison between young men and women with traumatic fractures and older men and women with fragility fractures: A retrospective cohort study. *BMC Musculoskelet Disord* 2022;23:305.
  111. Haj-Mirzaian A, Eng J, Khorasani R, et al. Use of advanced imaging for radiographically occult hip fracture in elderly patients: A systematic review and meta-analysis. *Radiology* 2020;296:521-531.
  112. Patterson JT, Lack WD, Agel J, et al. AP pelvis radiograph is insufficient for diagnosis of U-type sacral fractures. *Emerg Radiol* 2021;28:1119-1126.
  113. Deleanu B, Prejbeanu R, Tsiridis E, et al. Occult fractures of the proximal femur: Imaging diagnosis and management of 82 cases in a regional trauma center. *World J Emerg Surg* 2015;10:55.
  114. Tran Z, Hsiue PP, Pan C, et al. Impact of delayed intervention on clinical outcomes following traumatic hip fracture in the elderly: A national analysis. *J Orthop* 2021;27:74-78.
  115. deMeireles AJ, Gerhardinger L, Oliphant BW, et al. Factors associated with optimal patient outcomes after operative repair of isolated hip fractures in the elderly. *Trauma Surg Acute Care Open* 2020;5:e000630.
  116. Leland NE, Teno JM, Gozalo P, et al. Decision making and outcomes of a hospice patient hospitalized with a hip fracture. *J Pain Symptom Manage* 2012;44:458-465.
  117. Uysal A, Altıparmak B, Yaşar E, et al. The effects of early femoral nerve block intervention on preoperative pain management and incidence of postoperative delirium geriatric patients undergoing trochanteric femur fracture surgery: A randomized controlled trial.

118. Lim EJ, Koh WU, Kim H, et al. Regional nerve block decreases the incidence of post-operative delirium in elderly hip fracture. *J Clin Med* 2021;10:3586.
119. Hotta K, Kobayashi T. Functional treatment strategy for fragility fractures of the pelvis in geriatric patients. *Eur J Trauma Emerg Surg* 2021;47:21-27.
120. Tran UE, Yadav K, Ali MM, et al. An evaluation of emergency pain management practices in fragility fractures of the pelvis. *CJEM* 2022;24:273-277.
121. Demetriades D, Karaiskakis M, Velmahos G, et al. Effect on outcome of early intensive management of geriatric trauma patients. *Br J Surg* 2002;89:1319-1322.
122. Pyke OJ Jr, Rubano JA, Vosswinkel JA, et al. Admission of elderly blunt thoracic trauma patients directly to the intensive care unit improves outcomes. *J Surg Res* 2017;219:334-340.
123. Baker SP, O'Neill B, Haddon W Jr, Long WB. The injury severity score: A method for describing patients with multiple injuries and evaluating emergency care. *J Trauma* 1974;14:187-196.
124. Watts HF, Kerem Y, Kulstad EB. Evaluation of the revised trauma and injury severity scores in elderly trauma patients. *J Emerg Trauma Shock* 2012;5:131-134.
125. Davis JW, Kaups KL. Base deficit in the elderly: A marker of severe injury and death. *J Trauma* 1998;45:873-877.
126. Ibrahim I, Chor WP, Chue KM, et al. Is arterial base deficit still a useful prognostic marker in trauma? A systematic review. *Am J Emerg Med* 2016;34:626-635.
127. Neville AL, Nemtsev D, Manasrah R, et al. Mortality risk stratification in elderly trauma patients based on initial arterial lactate and base deficit levels. *Am Surg* 2011;77:1337-1341.
128. Rutherford EJ, Morris JA Jr, Reed GW, Hall KS. Base deficit stratifies mortality and determines therapy. *J Trauma* 1992;33:417-423.
129. Verhoeff K, Glen P, Taheri A, et al. Implementation and adoption of advanced care planning in the elderly trauma patient. *World J Emerg Surg* 2018;13:40.